

高 治

高

本 利

木

| Region | Area (ha) | Yield (t/ha) | Total (t) | Percentage (%) | |
|--------|-----------|--------------|-----------|----------------|------|
| 1 | 55.5 | 1.070 | 4.90 | 10.4 | 94.8 |

| | | | | | |
|---|------|-------|------|------|------|
| 2 | 22.2 | 0.832 | 6.20 | 12.4 | 75.5 |
|---|------|-------|------|------|------|

| | | | | | |
|---|------|-------|------|-----|------|
| 3 | 27.0 | 0.710 | 3.88 | 8.3 | 61.7 |
|---|------|-------|------|-----|------|



| | | | | | |
|---|------|-------|------|-----|------|
| 4 | 20.4 | 0.520 | 1.87 | 3.9 | 31.7 |
|---|------|-------|------|-----|------|

| | | | | | |
|---|-----|-----|-----|-----|-----|
| 5 | ... | ... | ... | ... | ... |
|---|-----|-----|-----|-----|-----|



考定されるとりは非常の物、ハナハニ、ハナニ、ハナニ

[The following text is almost entirely obscured by heavy horizontal black bars, making it illegible. Only a few faint lines and characters are visible through the noise.]



| | Graphical method | Wessla method | |
|----|------------------|---------------|--|
| Mw | | | |
| n | | | |
| // | | | |
| n | | | |

M
M
N