



[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]




(5)



停止 $\frac{L}{2}$

(d) 停止後

(8)



$$\frac{1}{2} \beta \sqrt{\frac{A}{\alpha}} \left(\tanh(\sqrt{\frac{A}{\alpha}} \cdot t) + (C_0 + \beta/2\alpha) \cdot \alpha / \sqrt{A} \right) \quad (10)$$

2.

2



表1


k_{α}	1.60	k_{β}	2.10	k_{γ}	2.62	τ	0.96	R_{α}	3.50
k_{δ}	2.79	k_{ϵ}	5.40	k_{ζ}	8.10	k_{η}	10.80	k_{θ}	13.50

温度 (°C) 5° 15° 25° 35° 45°

温度 (°C) 5° 15° 25° 35° 45°

1.81 1.45

1.81 1.45



とおける。

[Redacted text]

[Redacted text]

1	6.8	9.4	1.87	176
2	4.4	4.7	3.74	210
3	2.9	3.1	5.61	250
4	2.1	2.4	7.58	300

[Redacted text]

1) 板井 清田折部 雷化24, 274 (1956)

[Redacted text]

電125 71 (1957)

[Redacted text]