

迫 寿 男
林 香 敏

村

永


Copyright © 1984 by McGraw-Hill, Inc. All rights reserved. Printed in the United States of America.

[REDACTED]

[REDACTED]

2. 実験

測定温度 : 150°C



Amplitude $\pm 1^\circ$

Compound ingredient

Input date

A-2 A
WRT B

C

1967

3. 試験結果および考察

Dr. M. I. J. D. (W Type)

E No.

7 0 9






Table 2 (Continued)

Experiment No.	41	42	43	44	64	64	64	67	68
					64	64	64	67	71

40 | 41 | 42 | 43 | 44

HS Hardness (after 20 min soaking) 55 54 50 50 50 50

Financial Statement of CP

Year	1975	1976	1977	1978	1979
Revenue					
Expenses					
Net Income					
Assets					
Liabilities					
Equity					
2,721.56	79.30	74.7	2.71		
		25.3			
		100.0			

Year	1975	1976	1977	1978	1979
Revenue					
Expenses					
Net Income					
Assets					
Liabilities					
Equity					
2,721.56	79.30	74.7	2.71		
		25.3			
		100.0			


耐電圧試験の1分間値と劣化特性の関係



95%

試験結果の信頼性向上のために、試験方法を改良する。

試験結果をグラフに示す。



Hardness at 30 s.p.

Compression Set (%)

30 Modulus (kg/cm²)

Hardness

[Redacted text block]

昭和十一年四月一日 昭和十一年四月一日 昭和十一年四月一日 昭和十一年四月一日

[Redacted text block]

昭和十一年四月一日 昭和十一年四月一日 昭和十一年四月一日 昭和十一年四月一日

[Redacted text block]