

[Redacted text block]

寿 男
勉


[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

以下に、今後、再現性のある方法を検討し、報告する。




and iodo monochloride

Butyl acrylate, butyl methacrylate, and styrene

Participant	Phase	Condition	Mean	SD	Significance
1	Baseline	Control	0.65	0.05	p < .05
		ABA	0.66	0.05	
	Treatment	Control	0.65	0.05	
		ABA	0.66	0.05	
2	Baseline	Control	0.65	0.05	p < .05
		ABA	0.66	0.05	
	Treatment	Control	0.65	0.05	
		ABA	0.66	0.05	
3	Baseline	Control	0.65	0.05	p < .05
		ABA	0.66	0.05	
	Treatment	Control	0.65	0.05	
		ABA	0.66	0.05	

1) $p < .05$
 0.63
 0.66





Property	Composition	Value
Impact strength (kg-cm/cm)	A	~100
	B	~150
	C	~200
Rockwell hardness (R)	A	~100
	B	~110
	C	~120

9) M. Matsuo: *Plastics* 18 (11) 17 (1967)

Sci.,

1) T. R. Grompton and V. W. Reid: *J. Polym. Sci. A-1* 8 (1970)

Sci. A-1 8 (1970)