

報 文

荒 井 昭 治

松 永 丞 邦

住 田 邦 雄

素化法⁷⁾も知られてゐるが、Dald の...

CH₂=CH-CH



The lower half of the page is almost entirely obscured by a dense, dark, and noisy pattern, likely representing a corrupted scan or a very dark photograph of the original document. Only faint vertical lines and some illegible characters are visible through the noise.






Fig. 1. Experimental apparatus for the hydrolysis of



AA
 column; 25 mm ϕ \times 1.5 m in height, packed
 with 100 ml ion-exchange resin and 400 ml



(B) H₂O/AA 量 変 化 の 時 間 経 過

AA の 供 給 量 を 一 定 し し た が ち H₂O 量 を 変 化 さ せ た

hydrolysis of AA

ion-exchange resin: Amberlite MB3 mixed bed


type: 100 ml AA feed: 4 mol/l resin: 1

$$\text{AA conv. (\%)} = \frac{\text{AcOH}}{\text{AcOH} + \text{AA}} \times 100$$



100



AOH
(30.5ml/h)



aquous



[REDACTED]

[REDACTED]

[REDACTED]

Table 7 Hydroformulation

Item	Value
1	...
2	...
3	...
4	...
5	...
6	...
7	...
8	...
9	...
10	...
11	...
12	...
13	...
14	...
15	...
16	...
17	...
18	...
19	...
20	...
21	...
22	...
23	...
24	...
25	...
26	...
27	...
28	...
29	...
30	...
31	...
32	...
33	...
34	...
35	...
36	...
37	...
38	...
39	...
40	...
41	...
42	...
43	...
44	...
45	...
46	...
47	...
48	...
49	...
50	...

[Redacted text]

就

[Redacted text]