


報 文

松 水 奈 秋

堤 売 日

1




島津 GC-3AH,

カラム MS5A 4 mm² × 2 m (I.D.=4mm)

Current 90 mA

件により対応する微量のジオールが生成しない外側の柱



(次頁)





Table 2 The relationship of total

This image is a high-contrast, black-and-white scan of a document page that has undergone significant digital processing. It features a grid-like structure of horizontal lines and vertical columns. The horizontal lines are of varying thicknesses and shades of gray, creating a layered effect. Interspersed among these lines are numerous vertical white lines of varying lengths. Several black rectangular and square shapes are scattered across the page, some overlapping the horizontal lines. There are also several small, dark, irregular marks that resemble staple holes or scanning artifacts. The overall appearance is that of a corrupted or heavily compressed digital file.





hydroxvaldehydes 40 g solvent H₂O 80 g Raney

Table E Understanding of the Internet

reaction solution* (g)	Raney-	temperature	H ₂	conversion	yield (mol%)
5	{	20	{		
5	{		{		100 ₂₀
		70	20	120	
		10	10	80	100
		120	100		100

[3] C. O'Connor, G. Wilkinson: *J. Chem. Soc. (A)*

Petrol. Inst., 19, 62 (1977).

3133 (1968).