

隆 夫
康 弘
純 四

井

小 田

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]


Fig. 1

monomer	time	conv.	pH	copolymer
MAA in	0	0	3.7	
	30	13.5	3.7	
	60	23.6	3.7	

は、精製モノマーを用いた方が速く、無機物の含有

への影響がみられる

30 60 13.5 3.7 23.6



100

使用されたもの、その利用年数等について

Table 5

Table 5 について

80
[REDACTED]

M ϵ_1 ϵ_2 ϵ_3

[REDACTED]

ϵ_0 and ϵ_∞ from Polymer Handbook (1966)

[REDACTED]

[REDACTED]

[REDACTED]