

124 115

[Redacted text block]


[Redacted text block]

佐々木 正 明

〒115-8501 東京都港区赤坂一丁目1番1号

佐々木 博 朗

[Redacted text block]



[REDACTED]

2
3
4

[REDACTED]

[REDACTED]


(1) 非人道的処遇の保障



Fig. 4. Separation of ^{14}C -labeled L-DOPA and ^{14}C -labeled DOPA



Fig. 5. Effect of pH of the mobile phase on the separation of L-DOPA and DOPA. pH 4.5 and pH 6.5





Flow rate: 1.0 ml/min

Standard: 1. L-DOPA, 2. DOPA, 3. Dopa
 4. DOPA, 5. Dopa
 6. DOPA, 7. Dopa

6H 5H TSKGel QDS-120T



6H 5H













Fig. 10. Comparison of detector profiles of protein mixture in TSK-1.



0 10 20 30
Retention time (min)

10 15
Retention time (min)





Retention time (min)

Fig. 15 Separation of a mixture of compounds

The table consists of approximately 15 rows and 3-4 columns. The content is largely illegible due to heavy blurring and horizontal black redaction bars. Some faint numerical values are visible in certain cells, such as '100' in the second row, second column, and '100' in the third row, second column. The table appears to be a ledger or a data record.