Table 1. Characteristics of New Series of TSK GEL PW Columns

	Theoretical Plates	Exclusion Limit*2		Column
		Dextran	Protein	Dimmension mmI.D. × cm
TSKgel G3000PW	6	14,000		
TSKgel G4000PW	6	14,000		
TSKgel G5000PW	[illegible]	[illegible]		
TSKgel G6000PW	[illegible]	[illegible]		
TSKgel G7000PW	13	7,000		
TSKgel G8000PW	13	7,000		


10^6
10^4
10^3
10^2
Molecular Weight
TSKgel G2500PW$_{XL}$
Elution Volume (ml)

[illegible]


Sample : EG
Number of Theoretical
14
13,000
12
11,000
1.0
2.0
Flow rate (ml/min)
G2500PW

Table 1. Capacity Factors of Aliphatic Alcohols


7
5
4
1
(c)
0
20
80


(Gradient Curve)
60
50
40
0
1
2
3
4
5
6
7
(Hr)
H₂O 100 50 50 100 100 50 50 100 (%)

Table 5. Typical Examples of Use of Organic Solvents in Modifi

0.1% TFA

formic acid and dimethylsulfoxide

Viru

is

Syn

thetic
oligon

oint in sel ection

TSKgel GMPW

ver

ze
ver

size
ver

ze
ion

ze
ver

ze
alibration curve

alibration curve
ver

e
ver

e
alibration curve
n

ze
ver
on

large pore s ze
linear of alibra on curve

resolv g po er

No. 14.



[redacted]


1
2

[redacted]



(1) Introduction of G2500PW

(2)

Table 40 Range of Elution Conditions for New BW Columns

23) M. Okazaki, Y. Ohno and I. Hara: *J. Chromatogr.* 201, 957 (1980).

24) Y. Ohno, M. Okazaki and I. Hara: *J. Biochem.* 88, 1215 (1980).