




久保正 幹
山田 幸
二 佑 田

竹本久雄



菌株	特性	由来
		7)
		8)

由来

Table 1. Bacterial strain names and plasmid

	$Km^r nprM^+$	8)
	Ap^r	9)
<i>P. aeruginosa</i> MT 9	Ap^r	8)

K-12 JM109 *recA1 Δ (lac pro)*
endA1 thi-1 i strA

[Redacted text block]

No. 09-4 から No. 09-7 は *nrM* プロモーターの

[Redacted text block]

ト (3) T.F. プロモーター (6) 十眼高のランタンソフ

(a)

CGTAGGGAATTATCAACTATATCAGACTCTATTTTC@CAATACAATACTGTAATATTGTTGAATATTCTAAATACAAGAATAAAGGAGGAGGATGAAAAATGAAAAGGA
TCGACTATATCAGACTCTATTTTC@CAATACAATACTGTAATATTGTTGAATATTCTAAATACAAGAATAAAGGAGGAGGATGAAAAATGAAAAGGA

09-5

09-6

09-7

09-8

09-9

09-10

ATCGCTGTTAATATTCTAAATACAAGAATAAAGGAGGAGGATGAAAAATGAAAAGGA


TCGACTATATCAGACTCTATTTGACA@AATACAATACTGTAATATTGTTGAATATTCTAAATACAAGAATAAAGGAGGAGGATGAAAAATGAAAAGGA

10-1 TCGAC T TAAACAAA GTGG T TGACA ACATGAAGTAAGCACGG TACGAT GTACCACA

Normalized LA

AT content

Activity (100 μ/ml prot.)



Acids Res., 14, 4696, (1986)

23) M. Yamada, M. Kishi, T. Miki, D. O...

著者 著者 著者 著者 著者

1980-01-01