

竹 本 久 雄

現存せし IM-164 については プラスミンアトス洋社

プロウキナーゼは プラズミンアトス洋社

[Illegible text block containing several lines of faint, mostly obscured text.]



[Illegible text block containing several lines of faint, mostly obscured text.]




Fig. 2 Influence of pH on the conversion of PM-104 (I) to IPM (II)

用いた。


TABLE 1. O.I.P. (wt%) of Various Polymers

D.I.B. = 100%

Catalyst

Sample	1	2	3	4	5
PyrGR-MCA	100	100	100	100	100
CbzPyrGR-MCA	2	2	4	14	14
n.d.: not determined	12	10	10	24	27

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.



(a)

100

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.



Hiroshi ITA

Nobuyuki HONMA

Hisao TAKEMOTO