

高橋 健一郎

長崎 裕一

大庭 伸一郎

High Performance ITO Target Part 3

Kentaro UTSUMI

Kenichi ITO

Table 1 Specification of the Targets



山勢里上りが透湿度の測定を実施した。灌漑の抵抗率

160

155

150

145

140

135

130

125

120

115

110

105

100

95

90

85

80

75

70

65

60

55

50

45

40

35

30

25

20

15

10

5

0

-5

-10

-15

-20

-25

-30

-35

-40

-45

-50

-55

-60

-65

-70

-75

-80

-85

-90

-95

-100

-105

-110

-115

-120

-125

-130

-135

-140

-145

-150

-155

-160

-165

-170

-175

-180

-185

-190

-195

-200

-205

-210

-215

-220

-225

-230

-235

-240

-245

-250

-255

-260

-265

-270

-275

-280

-285

-290

-295

-300

-305

-310

-315

-320

-325

-330

-335

-340

-345

-350

-355

-360

-365

-370

-375

-380

-385

-390

-395

-400

-405

-410

-415

-420

-425

-430

-435

-440

-445

-450

-455

-460

-465

-470

-475

-480

-485

-490

-495

-500

-505

-510

-515

-520

-525

-530

-535

-540

-545

-550

-555

-560

-565

-570

-575

-580

-585

-590

-595

-600

-605

-610

-615

-620

-625

-630

-635

-640

-645

-650

-655

-660

-665

-670

-675

-680

-685

-690

-695

-700

-705

-710

-715

-720

-725

-730

-735

-740

-745

-750

-755

-760

-765

-770

-775

-780

-785

-790

-795

-800

-805

-810

-815

-820

-825

-830

-835

-840

-845

-850

-855

-860

-865

-870

-875

-880

-885

-890

-895

-900

-905

-910

-915

-920

-925

-930

-935

-940

-945

-950

-955

-960

-965

-970

-975

-980

-985

-990

-995

-1000

-1005

-1010

-1015

-1020

-1025

-1030

-1035

-1040

-1045

-1050

-1055

-1060

-1065

-1070

-1075

-1080

-1085

-1090

-1095

-1100

-1105

-1110

-1115

-1120

-1125

-1130

-1135

-1140

-1145

-1150

-1155

-1160

-1165

-1170

-1175

-1180

-1185

-1190

-1195

-1200

-1205

-1210

-1215

-1220

-1225

-1230

-1235

-1240

-1245

-1250

-1255

-1260

-1265

-1270

-1275

-1280

-1285

-1290

-1295

-1300

-1305

-1310

-1315

-1320

-1325

-1330

-1335

-1340

-1345

-1350

-1355

-1360

-1365

-1370

-1375

-1380

-1385

-1390

-1395


-1400

-1405

-1410

-1415


-1420





400 500 600 700
Walls


□ 90

結体を 4 「インチ」 × 7 「インチ」 × 6 「mm」 に









Film, 203, 297 (1991)

3) I. Hamberg and C. G. Granqvist, *L. Aihl*

T. K. Lutz, K. Michael and M. Scherer, *Am. J. Ind. Med.*, 1991, 20, 1-10

5) K. Utsumi and A. Kondo, *Transactions of*